CUSTOM

# KUBE III LOTTERY

## Printer for lottery, gaming and betting solution

**KUBE III LOTTERY** is a high performance thermal printer suitable for applications in the gaming, lottery and betting sector. **It prints high quality logos and graphic coupons. Sturdy and reliable**: long-life print head and new cutter for automatic receipt cutting (for over 1M cuts). **Barcode printing 1D-2D and international fonts**.

### CARACTÉRISTIQUES

1. **Powerful and extremely fast**
   220 mm/sec
2. **Paper width**
   80/82.5 mm
3. **Unique printing capacity**
   150mm diameter paper roll
4. **Stacker**
   to collect up to 50 tickets

### MARKETS

- Lottery
- Gaming
- Betting

CUSTOM

## FICHE TECHNIQUE

| | |
|---|---|
| **Printing Method** | Thermal printing |
| **Number of dots** | 8 dots / mm |
| **Resolution** | 203 dpi |
| **Printing** | 220 mm/sec |
| **Character set** | PC437, PC850, PC860, PC863, PC865, PC858 (euro) |
| **Printing Format** | Normal, 1x to 8x height and width, bold, negative, underlined, italic |
| **Printing Direction** | Straight, 90°, 180°, 270° |
| **Paper width** | 80mm/ 82.5mm |
| **Paper thickness** | 65µm |
| **Roll Dimension** | max Ø 150 mm |
| **Emulation** | CUSTOM / POS |
| **Interfaces** | USB + Serial RS232 |
| **Data Buffer** | 20 Kbytes |
| **Flash Memory** | 512 KB |
| **Graphic Memory** | 1 608 x 862 dots logo |
| **RAM Memory** | 2 MB |
| **Drivers** | Windows® (32/64 bit);<br>CUPS Linux (32/64 bit);<br>Virtual COM;<br>Custom Android™ API;<br>Custom IOS API |
| **Software Tools** | PrinterSet, CustomPowerTool |
| **Power supply** | 24 Vdc ± 10% (external power supply) |
| **Medium consumption** | 1.5 A (50% printing rate) |
| **DKD Function** | or customer display |
| **MTBF** | 360,000 hours (electronic board) |
| **Cutter** | 1 Ml of cut, total cut |
| **Dimensions** | 297 mm (L) x 140 mm (W) x 215 mm (H) |
| **Weight** | 2.3 Kg |

## MODÈLES

**911LZ010500333**
PRINTER KUBE III LOTTERY USB
RS232

Via I. Newton, 4 - 43010 Fontevivo PR - NUMÉRO DE TVA : IT02498250345 - TÉL : +39 0521 680111 - FAX : - CODE UNIVOQUE: 7K4AJ54

Les données techniques de ce site ne sont pas contraignantes et peuvent être modifiées sans préavis.
Dernière mise à jour : 28 septembre 2026