CUSTOM

# TREK Intel 15.6"

## Versatile POS solution made for today’s connected environments

**TREK** by Custom Group is your versatile, all-in-one solution for true functionality. Designed to seamlessly power a variety of applications - including **POS, Self-Service, KDS, Price Checker**, and more - TREK combines performance, connectivity, and versatility to meet the demands of any customer touchpoint.

The TREK Intel 15.6", with its included stand, delivers both power and elegance to your checkout counter. Pair it with Custom’s **CONNECT** stand for an instant self-service station. Retail-hardened and backed by Custom’s warranty support, TREK is built to withstand the rigors of any environment.

**TREK has five other options available:**
- Trek Intel 21.5", **click here** for more information;
- Trek Android 21.5", **click here** for more information;
- Trek Android 15.6", **click here** for more information;
- Trek Monitor 15.6", **click here** for more information;
- Trek Monitor 21.5", **click here** for more information.

For a complete list of TREK models and part numbers, please **click here**.

## CARACTERÍSTICAS

### 1. High Performance
Seamlessly power any application: POS, Self-Service, KDS, Price Checker, and more

### 2. Extreme Versatility
Choose from an assortment of Micro USB-attached accessories to instantly transform TREK for any customer touchpoint

### 3. Extensive OS Support
TREK is certified by Google for use with ChromeOS Flex. For Windows applications, choose from Windows 10 IoT, Windows 11 Pro, and Windows 11 IoT. For added flexibility, TREK is also available in a no OS configuration enabling you to load the Linux build that best suits your environment

### 4. Elegantly Functional
Simplify your installations while never compromising on style

### 5. Rich Connectivity
Easily connect all your POS peripherals and accessories

## MARKETS

- Retail
- Hospitality
- Grocery
- C-Store
- Entertainment
- Gaming, Lottery and Betting

---

## ACESSÓRIOS

| | |
|---|---|
| **938PW010100001** | Fingerprint Reader for Trek Terminal |
| **938PW010100002** | 2D scanner for Trek Terminal |
| **938PW010100003** | 3 Track MSR for Trek Terminal |
| **938PW010100004** | NFC/RFID Reader for Trek Terminal |
| **938PW010100005** | LED Light Bar for Trek Terminal |
| **938PW010100006** | Camera/Microphone for Trek Terminal |
| **938PW010100012** | iButton Reader for Trek Terminal |
| **938PW010100007** | Trek series POS stand all screen sizes |

## Customer Facing Displays

| | |
|---|---|
| **932PW010500M33** | LCM 2-Line Customer Display for Trek |
| **932PW010400M33** | Trek 11.6" Customer Facing Display |
| **932PW010300M33** | Trek 11.6" CFD Touch, NFC |
| **938PW010100008** | Trek USB Type-C alt mode cable 1.8 m |
| **938PW010100009** | Trek USB Type-C alt mode cable 0.8 m |
| **938PW010100010** | Trek 11.6" CFD Rear Facing Mounting Arm |
| **938PW010100011** | Trek 11.6" CFD Power Adapter, Cables |

For configuration assistance, please consult our TREK 11.6” Customer Facing Display Buyer’s Guide, please **click here**.

---

CUSTOM

## FICHA TÉCNICA

| | | |
|---|---|---|
| **Touch Display** | 15.6" | |
| **Resolution** | 1920 x 1080 | |
| **Touch Technology** | True-Flat PCAP multi-touch | |
| **Brightness** | LCD Panel: 300 NITS \| PCAP Touch: 240 NITS | |
| **Stand** | Included | |
| **Processor** | Intel® Processor N97 | Intel® Core i3-N305 |
| **RAM** | 8 GB - 16 GB LPDDR4 | |
| **SSD** | 128 GB - 256 GB UFS 2.1 | |
| **OS Supported** | Windows 10 IoT, Windows 11 Pro, Windows 11 IoT, Google ChromeOS Flex, Linux | |
| **USB Type-A** | 2x USB-A 3.0, 2x USB-A 2.0 | |
| **USB Type-C** | 1x USB 3.0 full-functioned (DP / PD 5 V / 2 A, 12 V / 1 A) | |
| **Micro USB** | 3x (accessory mounting) | |
| **CuDP** | 1x proprietary miniDP (for 2nd display) | |
| **Serial Port** | 1x RJ48 (Powered RS232) (default: 0 V; optional support for 5 V, 12 V) | |
| **LAN** | 1x RJ45 | |
| **Cash Drawer** | 1x RJ11 | |
| **DC Jack** | 1x 2 pin | |
| **Wireless LAN + BT** | WiFi6 + BT5.2 (optional) | |
| **Speaker** | 1x 3 W | |
| **NFC** | Via optional 11.6" CFD or NFC reader | |
| **Power Supply** | 65 W / 12 V | |
| **VESA Mount** | 75 x 75 mm | |
| **Accessory Options** | 11.6" Non-Touch CFD, 2D Scanner, Camera / Microphone, Fingerprint Reader, iButton, LCM, Light Bar, MSR, Stand | |
| **Operating Temperature** | 0° C ~ 35° C (32° F ~ 95° F) | |
| **Storage Temperature** | -20° C ~ 60° C (-4° F ~ 140° F) | |
| **Humidity** | 20% ~ 80% RH non-condensing | |
| **Dimensions** | Without Stand: 369 mm (W) x 37 mm (D) x 234 mm (H)<br>With Stand: 369 mm (W) x 165 mm (D) x 271.2 mm (H) | |
| **Weight** | 1.39 kg (without stand)<br>2.25 kg (with stand) | |

## MODELOS

**935PW010300L33**
Trek 15.6",N97,8/128,No OS,Wifi,Stand

**935PW010500L33**
Trek 15.6",i3,8/128,No OS,Wifi,Stand

---

Via I. Newton, 4 - 43010 Fontevivo PR - P. IVA: IT02498250345 - TEL: +39 0521 680111 - FAX: - CÓDIGO UNÍVOCO: 7K4AJ54

As informações técnicas neste site não são vinculadas e podem ser alteradas sem aviso prévio.
Última atualização: 28 setembro 2026