B202HIII

□□□□□□□ □□□□□□□ □ □□□□□□□□□□

B202HIII - □□□ □□□□□□□□□ □ □□□□□□□□□□□□ □□□□□□□□ □□□□□□□□, □□□□□□□□□□□ □□□ □□□□□□□□□□, □□□□□□□□□□□□□□□ □□□□□□□□□□□□, □□□□□□□□□□ □□□□□, □□□□□□□

??????????????

- □□□□□□□□□□□ 266 MHz
- □□□□□□□ □□□□□□□ □□ 20 □□ 54 □□
- □□□□□□□□□□□ □□□□□□□: □□ 80 □□ 180 □/□²
- □□□□□□□□□□ □□□□□□□ □□ 170 □□ / □
- □□□□□□□□ □□□□□□□□□□□□ □□□□□□□□□□□ □□□□□□□□ □□□□□□□□□□□ □□□□□□□□□□□ □□ □□□□□□
- □□□□□□□ □□□□□□ □□□□□□□□□□□□□□□ □□□□□□□□□□□□□ □□□□ □□□□□□□□□□ □□ □□□□□□□□□□□□ □□□□□□□□□□

???????????????

- □□□□□□□□□□□ RS232 □ USB (□□□□ □□□□□□□□□□□□□ COM)
- □□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□: □□□□□□ 1 000 000 □□□□□□□□□
- □□□□□□□ □□□□□□-□□□□□□ 1D □ 2D : UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRI QRCODE
- □□□□□□□□□□□□□□□ □□□□□□□ True Font; □□□□□□: □□□□□□ □□□□□□□□□□□ □□□□□
- □□□□□□□□□: □□□□□□□□□□□□□ □□□□□□□□, □□□□□□□□□ □□□□□□□□, □□□□□□□□□□ □□□□□□□ □□□□□□ □ 3-□ □□□□□□□□□□□□□, □□□□□□□□□□ □□□□□□□□□□□□□□□□□ □□□□□□/□□□□□□

CUSTOM

??????????

??? ? ???????:

- [illegible], [illegible] [illegible] [illegible], [illegible] [illegible], [illegible] [illegible] [illegible], [illegible] USB

??????????? ????????

????? ??????	[illegible]
[illegible]	8 [illegible]/[illegible]
[illegible]	203 dpi
[illegible] ([illegible] / [illegible])	170 [illegible]/[illegible]
[illegible]	PC437, PC850, PC860, PC863, PC865, [illegible]
[illegible]	[illegible], [illegible] 1x [illegible] 2x [illegible] [illegible], [illegible]
[illegible]	[illegible], 90°, 180°, 270°
[illegible]	[illegible] 20[illegible] [illegible] 54[illegible]
[illegible]	[illegible] 80 [illegible] 180 [illegible]/[illegible]^2
[illegible]	[illegible]. 200 [illegible]
[illegible]	CUSTOM/POS, SVELTA
[illegible]	RS232 + USB ([illegible] COM)
[illegible]	64 [illegible]
[illegible]-[illegible]	18 [illegible]
[illegible]	[illegible] ([illegible]. 2 [illegible] [illegible])
[illegible] SD/MMC	[illegible] = [illegible]. 2 [illegible]
[illegible]	Windows® (32/64 [illegible]) — [illegible] WHQL [illegible]; CUPS Linux (32/64 [illegible]); [illegible] COM (Linux [illegible] Windows 32/64 [illegible]); Android™; iOS
[illegible]	[illegible], PrinterSet, CustomPowerTool
[illegible]	[illegible]: 24 [illegible] ± 10 % [illegible] ([illegible]): [illegible] 100 [illegible] [illegible] 24° [illegible]
C[illegible]	1.2A (12,5% [illegible])
[illegible]	150 [illegible] / 100M [illegible]
[illegible]	[illegible] 1 [illegible] [illegible]
[illegible]	0°C + 50°C
[illegible]	194 [illegible] ([illegible]) x 155 [illegible] ([illegible]) x 133 [illegible] ([illegible]) 364 [illegible] ([illegible]) x 133,2 [illegible] ([illegible]) x 155 [illegible] ([illegible]) [illegible] 363,5 [illegible] ([illegible]) x 155 [illegible] ([illegible]) x 133,2 [illegible] ([illegible]) [illegible]
[illegible]	2,8 [illegible] 3,8 [illegible] [illegible] 3 [illegible] [illegible]

CUSTOM

??????

911AP030100333
PRINTER B202HIII USB RS232

Via I. Newton, 4 - 43010 Fontevivo PR - [redacted] IT02498250345 - [redacted] +39 0521 680111 - [redacted] - [redacted] 7K4AJ54

[redacted] 28 [redacted] 2026