



**K3 F**

Custom

K3 F Custom



K3 F



wi-fi )



K3 F

??

- Wi-Fi
- 400MHz
- RS232+USB+
- :280 /
- 200dpi
- 80 , 60 ( )
- 55 90
- 100
- 1.000.000
- MTBF:200Km
- (QRCODE)
- ,
- DGFE SD CARD
- /
- Custom ,XON-XOFF, UAP
- ( )

???



- /
- LED
- 

??



- WI-FI
- KB30 USB

????

|       |                                                                                         |
|-------|-----------------------------------------------------------------------------------------|
| ????? | 100 Mhz                                                                                 |
|       | SD Card SLC Industrial "long life" 3.000.000 ( 600 )                                    |
|       | DGFE SD CARD                                                                            |
|       | K35-USB                                                                                 |
|       | XD QD : LCD 2X20 led                                                                    |
|       | 80mm                                                                                    |
|       | 280 /                                                                                   |
|       | RS232 USB                                                                               |
|       | 30                                                                                      |
|       | 30                                                                                      |
|       | 8                                                                                       |
|       | 10                                                                                      |
|       | (QRCODE)                                                                                |
|       | CUSTOM, XON/XOFF, UAP                                                                   |
|       | Windows® 32/64 — WHQL<br>COM Windows 32/64<br>OPOS;<br>JavaPOS;<br>POS.net;<br>Android™ |
|       | 206mm (L)x148mm (P)x140mm (A)                                                           |
|       | 203dpi (8 dots/mm)                                                                      |
|       | Ø 100                                                                                   |
|       | 2.2 A (12.5% )                                                                          |
|       | 24 Vdc ± 10% ( )                                                                        |
|       | 1.9                                                                                     |