




KPM150HIII

OEM

- 200 dpi
- 20 54
- 80 180 / 2
- > 180 /
- RS232 USB COM
- : 1.000.000
- 1D 2D :
- UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QR CODE
- True Font
- 3 /



??

- 266 MHz

??

-

????????


-

????

????

	8	/
	203	dpi
/	>180	/
	PC437, PC850, PC860, PC863, PC865,	
	,	1 2 ,
	, 90°, 180°, 270°	
	20	54
	80	180 / ²
	200	
	CUSTOM/POS, SVELTA	
	RS232 + USB	
	64 KB	
	18 MB	
	2 MB	
SD/MMC	= 2 GB	
	Windows® 32/64 --- WHQL	
	Linux 32/64	
	COM Linux Windows 32/64	
	™	
	iOS	
	, PrinterSet, CustomPowerTool, Custom Windows API	
	24 Vdc ± 10%	
	100 Vac 24o Vac	
	0.8A (12,5%)	
	150 / 100M	
	100	
	-10°C + 60°C	
	171	x 122 x 114
	194	x 122 x 114 /
	194	x 122 x 114 /
	1,85	
	1.9	/
	1.95	/

??



915FB030100300
PRINTER KPM150HIII USB RS232

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - - 7K4AJ54

28 2026