



KPM180H

OEM

- 200dpi 300dpi
- 20mm 82,5mm
- 60 255 gr/m2
- > 200 /
- (2)
- ()
- 100
- 1D 2D :UPC-A, UPC-E, EAN13,EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QR CODE
- RS232 / USB COM / Ethernet
- True Font
- /



??

- !
- (2MB)
- SNAP-IN ONOFF
- ,feed

??

- /
- (AEA)
-

??

- Kiosko
- => , kiosko
 - = kioski kiosko

???????

-

????


????

	200dpi 8dots/mm 300dpi 12dots/mm
	200dpi 300dpi
/	200dpi 200mm/ 150dpi 300mm/
	PC437, PC850. PC860. PC863, PC865,
	UPC-A, UPC-E, EAN13,EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QRCODE
	/ 1 8
	, 90°, 180°, 270°
	20 82.5
	70 255g/m²
	270µm
	80mm
	CUSTOM/POS, SVELTA
	RS232 / USB COM / Ethernet
	16Kbytes
	1Mbyte + 8Mbyte 4MBytes
RAM	128Kbytes + 8Mbytes
	" & "
	Windows® 32/64 — WHQL Linux 32/64 COM Linux Windows 32/64 OPOS ™ iOS
	PrinterSet; , CustomPowerTool, Custom Windows API
	24 Vdc±10%
	1.5A 12,5%)
MTBF	113.000
	100 / 100M
MCBF	1.000.000 ()
	-10°C +60°C
	149,5(L) x 67(H) x 108(W) 97,5(L) x 67(H) x 108(W)
	1.5 0,8

??



915AH020300700
PRINTER KPM180H CUTTER
PRESENTER



915AH031100700
PRINTER KPM180H LL RFID READY
UHF ETH CUT PRES

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - 7K4AJ54
28 2026