



KPM216HIII ETH

A4

- > 200mm/
-
- RS232+USB COM + 3 8cm
- PrinterSet
- CPT CustomPowerTool /
-



??

- (300 dpi)
- kiosk
- Dot :
- 100%
-

??

- Kiosk
- Kiosk
- Kiosk
- Kiosk
-

????

- +USB+ 200 dpi 24V
- +USB+ 300 dpi 24V

??

?????????

- +

????		
	200 dpi ??	300 dpi ??
	8 /	12 /
	203 dpi	300 dpi
/	200 /	
	PC437, PC850. PC860. PC863, PC865,	
	1D 2D	
	1 8	
	, 90°, 180°, 270°	
	210 / 216 (A4" - US)	
	58 78 / ²	
	63 85	
	180	
	CUSTOM/POS	
	RS232 + USB	COM +
	19 KB	
	2MB internal flash and 8MB exsternal SPI flash	
RAM	128Kbytes	
	5 1600 x 327	5 2368 x 327
	Windows® 32/64 —	WHQL
	Linux 32/64	
	™	
	iOS	
	PrinterSet, CustomPowerTool, Status Monitor, Custom Windows API	
	24 Vdc ± 10%	
	2.5A (12,5%)	
	100 / 100M	
MCBF	300.000	
	0°C + 50°C	
	270 x 190 x 90	
	4.8	

??



915AS050200700
PRINTER KPM216HIII ETH USB
RS232 ESP 300



915AS050100700
PRINTER KPM216HIII ETH USB
RS232 ESP



915AS050300700
PRINTER KPM216HIII ETH USB
RS232 ESP VERT



915AS050400700
PRINTER KPM216HIII ETH USB
RS232 ESP VERT 300