



KUBEIII SCANNER

KUBEIII

300dpi

OMR



??

- 1. ??????
- 2. ??????
- 3. ??????????
- 4. ?????
- 5. ??????OCROMR/
- 6. ?????????

????

•

????

PRINTER FEATURES

Paper width	80/82.5 mm
Printing speed	180 mm/sec
Stacker	up to 50 tickets
High printing autonomy	150 mm paper roll diameter
Interfaces	USB and Ethernet
Cutter	1.000.000 of cuts
Head life	100km (with recommended paper), 100M pulses (12.5% duty cycle)
Font	International True fonts on board

SCANNER FEATURES

Technology	CIS (Contact Image Sensor)
Resolution	300 dpi
Scan output	Gray Scale / B&W
Scanning speed	up to 250 mm/sec
Scan width	82 mm

DRIVERS & LIBRARIES

Autoinstalling drivers	Windows® (32/64 bit) – only on request WHQL and silent installation; Linux (32/64 bit); Custom Android API
DLL	DLL CuDoubleSidedScannerAPI per .NET DLL CuDoubleSidedScannerAPI per C++

Libraries



Chameleon

??



911LZ011200733
MULTIFUNCTION SYSTEM KUBEIII
SCANNER



911LZ010800733
MULTIFUNCTION SYSTEM
KUBEIII SCANNER VERIPRINT



911LZ011400733
MULTIFUNCTION SYSTEM
KUBEIII SCANNER CHAMELEON
PRO



911LZ011300733
MULTIFUNCTION SYSTEM KUBEIII
SCANNER VERIPRINT CHAMELEON
PRO

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - 7K4AJ54
28 2026