



TG1260HIII

/ 60

- /
- 200 dpi
- 60
- : 60 80 mm
- > 60 /
- RS232 USB
- 1D 2D (QR CODE)
- : 1.000.000
- : , , , , ()



??

- , -20°C +70°C
- : 100
-

??

- Kiosk
-

????

????

	8	/
	32	- 42 - 56
	203	dpi
/	60	/
	PC437, PC850, PC860, PC863, PC865, PC858, PC866, GB2312	
	1	4
	, 180°	
	60	
	55	70 / ²
	60	80
	100	
	Custom/POS, TGH	
	RS232 + USB	
	2 kB	
	4 MB	
	2	448x584
	Windows® 32/64	— WHQL
	Linux 32/64	
	COM	Linux Windows 32/64
	™	
	Status Monitor, PrinterSet, CustomPowerTool, Custom Windows API	
	12V +/- 10%	
	0.66A (12,5%)	
MTBF	420.000	()
	50	/100M
	-20°C + 70°C	
	135	x 114 x 81
	0.6	

??



915CD090100300
PRINTER TG1260HIII USB CUTTER
LED OUT

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - 7K4AJ54
28 2026