

*CUSTOM*



**TK302III**

TK302III



TK302III



??

- 
- 200 /
- 20 82.5
- : 80 255 / <sup>2</sup>
- 2
- 1.5
- 32 bit 266 MHz
- 32 MB 32 MB
- SD 2 GB
- SW COM/USB

???

- 1D 2D: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QR CODE
- RS232 + USB +
- :
- 2G SD 8Mb USB , True Font
- ;



???

- -
-

|      |                                                                     |
|------|---------------------------------------------------------------------|
| ???? |                                                                     |
| ???? |                                                                     |
|      | 8 dots/                                                             |
|      | 203 dpi                                                             |
| /    | 200 /                                                               |
|      | PC437, PC850. PC860. PC863, PC865, PC858                            |
|      | 1 8                                                                 |
|      | , 90°, 180°, 270°                                                   |
|      | 20 a 82.5 (2 )                                                      |
|      | 80 255 / <sup>2</sup>                                               |
|      | CUSTOM/POS - SVELTA                                                 |
|      | RS232 / USB /                                                       |
|      | 64 KB                                                               |
|      | 16 MB                                                               |
|      | ( 2MB )                                                             |
|      | Windows® 32/64 — WHQL                                               |
|      | Linux 32/64                                                         |
|      | COM Linux Windows 32/64                                             |
|      | OPOS;                                                               |
|      | <sup>TM</sup>                                                       |
|      | iOS                                                                 |
|      | PrinterSet, CustomPowerTool, Status Monitor, EasyMyfare, EthLocator |
|      | 220 Vac ± 10%                                                       |
|      | 0.8A (12,5% )                                                       |
|      | 100 /100M                                                           |
| MCBF | 1.500.000                                                           |
|      | 252,1 (L) x 192,6 (H) x 216 (W)                                     |
|      | 4                                                                   |

??



911BB070100713

PRINTER TK302III ETH USB RS232

911BB070900713

PRINTER TK302III ETH USB RS232

BCR

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - 7K4AJ54  
28 2026