



VKP80III

KIOSK

VKP80III      KIOSK      70      kiosk



??



???????

- 55g/m2 85%
- -20/+70°C
- 250mm

????

????

|      |                                                                                                    |
|------|----------------------------------------------------------------------------------------------------|
|      | 8 /                                                                                                |
|      | 203 dpi /                                                                                          |
| /    | >250 /                                                                                             |
|      | PC437, PC850. PC860. PC863, PC865, PC858                                                           |
|      | 1 8                                                                                                |
|      | , 90°, 180°, 270°                                                                                  |
|      | 50 82.5                                                                                            |
|      | 55 110 / <sup>2</sup>                                                                              |
|      | 150 250mm                                                                                          |
|      | CUSTOM/POS                                                                                         |
|      | RS232 + USB<br>ETH + USB                                                                           |
|      | 16 KB / 1MB                                                                                        |
|      | 5 MB ( 1MB )                                                                                       |
|      | Windows® 32/64 --- WHQL<br>Linux 32/64<br>COM Linux Windows 32/64<br>OPOS;<br><sup>TM</sup><br>iOS |
|      | PrinterSet, CustomPowerTool, Status Monitor, Custom Windows API                                    |
|      | 24 Vdc±10%                                                                                         |
|      | 1A (12,5% )                                                                                        |
| MTBF | 450.000 ( )                                                                                        |
|      | 200 / 100 Ml                                                                                       |
| MCBF | 1.000.000                                                                                          |
|      | -20°C + 70°C                                                                                       |
|      | 143,5(L) x 76,4(H) x 116(W)                                                                        |
|      | 0.8                                                                                                |

??



**915DX010100J00**  
PRINTER VKP80III ETH USB SIDE  
CONNECTORS



**915DX011700300**  
PRINTER VKP80III USB RS232  
REAR CONNECTORS



**915DX011900300**  
PRINTER VKP80III USB RS232 SIDE  
CONNECTORS